DOCUMENT 00 91 13

ADDENDA

ADDENDUM NUMBER 02

DATE: 3/8/2023

PROJECT: MHS West Gym Floor Replacement

PROJECT NUMBER: 22-1724

OWNER: School City of Mishawaka

ARCHITECT: Abonmarche

315 W. Jefferson Blvd. South Bend, IN 46601

TO: Prospective Bidders

This Addendum forms a part of the Contract Documents and modifies the Bidding Documents dated February 22, 2023, and Addendum Number 1 issued February 24, 2023, with amendments and additions noted below.

Acknowledge receipt of this Addendum in the space provided in the Bid Form. Failure to do so may disqualify the Bidder.

This Addendum consists of (2) 8.5" x 11" pages and (3) 24" x 36" consisting of the following Drawings.

| No. | Drawing Title | Issue Date |
|------|---------------------------|------------|
| T1.1 | TITLE SHEET | 03-08-2023 |
| A9.0 | LOWER LEVEL – FINISH PLAN | 03-08-2023 |
| A9.1 | FIRST FLOOR – FINISH PLAN | 03-08-2023 |

CHANGES TO THE DRAWINGS

DRAWING T1.1 – TITLE SHEET (RE-ISSUED)

1) **DELETE** Alternate #2 and renumber alternates as follows:

ALTERNATE #1:

Base Bid: Provide Tarkett Omnisports Active (8.1 MM) at gym floor and track.

Alternate: In lieu of base bid provide Tarkett Omnisports Multi-Use (6.2 MM) flooring at gym and track.

ALTERNATE #2:

Base Bid: No painting required.

Alternate: In lieu of base bid provide new paint behind all bleacher location – color and pattern shall match existing.

ALTERNATE #3:

Base Bid: Keep existing wheels.

Alternate: Provide new wheels at all bleachers.

- 2) **EDIT** <u>Alternate #1</u> to read, "Base Bid: Provide Tarkett Omnisports Active (8.1 MM) at gym floor and track." Alternate: In lieu of base bid provide Tarkett Omnisports Multi-Use (6.2 MM) flooring at gym floor and track
- 3) **DELETE** Title Sheet T1.2 REFRENCE SHEET from Sheet Index

DRAWING A9.0 - LOWER LEVEL - FINISH PLAN

- 1) **ADD** Paint colors for Mishawaka Caveman logo to FINISHES LEGEND for paint stripe colors.
- 2) ADD Notes for paint clarification to GENERAL NOTES FLOOR PLAN
- 3) ADD Caveman logo detail to sheet A9.0 for clarification on paint layout.

DRAWING A9.1 – FIRST FLOOR – FINISH PLAN

1) ADD Notes for paint clarification to GENERAL NOTES – FLOOR PLAN

END OF DOCUMENT

GENERAL NOTES A. ALL CONTRACTORS ARE RESPONSIBLE FOR PROVIDING COMPLETE INSTALLATION OF ALL COMPONENTS AND SHALL COORDINATE THEIR SCOPE OF WORK WITH ALL OTHER TRADES PRIOR TO SUBMITTING BIDS TO ENSURE THERE ARE NO MISSING OR DUPLICATE COMPONENTS WITH-IN THEIR SCOPE B. DO NOT SCALE DRAWINGS. USE INDICATED DIMENSIONS ONLY. C. SHOULD A CONTRACTOR FIND DISCREPANCIES OR AMBIGUITIES IN OR OMISSIONS FROM THE DRAWINGS OR SPECIFICATIONS, OR BE IN DOUBT ABOUT THEIR MEANING, THE CONTRACTOR SHALL NOTIFY THE ARCHITECT IMMEDIATELY. D. CONTRACTOR SHALL VERIFY ALL DIMENSIONS ON THE JOB DURING CONSTRUCTION LAYOUT AND ADVISE THE ARCHITECT OF ANY DISCREPANCIES PRIOR TO PERFORMING E. CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING EXISTING CONDITIONS ON-SITE AND ADVISING ARCHITECT OF ANY DISCREPANCIES WITH DEMOLITION OR NEW WORK PLANS PRIOR TO PERFORMING ANY WORK. F. CONTRACTOR SHALL NOTIFY ARCHITECT IMMEDIATELY IF ANY UNFORESEEN STRUCTURAL OR UTILITY RELATED ISSUES ARISE DURING DEMOLITION OR EXCAVATION. G. ALL SPECIFIED ITEMS SHALL BE PROVIDED AND INSTALLED PER MANUFACTURERS WRITTEN REQUIREMENTS BUILDING CODE INFORMATION

2014 INDIANA BUILDING CODE

2012 INDIANA PLUMBING CODE

2014 INDIANA MECHANICAL CODE

2009 INDIANA ELECTRICAL CODE

2014 INDIANA BUILDING CODE

2010 INDIANA ENERGY CONSERVATION CODE

FLOOR REPLACEMENT PROJECT FOR:

SCHOOL CITY OF MISHAWAKA MHS WEST GYM

1202 LINCOLNWAY EAST MISHAWAKA, IN 46544

PROJECT ADDRESS

MISHAWAKA, IN 4654

PROJECT INFORMATION THERMAL PERSPE

PERSPECTIVE VIEW

PROJECT TEAM

BUILDING CODE

ENERGY CODE

PLUMBING CODE

MECHANICAL CODE


ELECTRICAL CODE

DESIGN CRITERIA

SEE STRUCTURAL DRAWINGS FOR STRUCTURAL DESIGN CRITERIA

ABONMARCHE

ARCHITECTURAL / CIVIL / STRUCTURAL / INTERIOR DESIGN ABONMARCHE CONSULTANTS, INC 315 W. JEFFERSON BLVD. SOUTH BEND, IN 46601 VICINITY MAP



LOCATION MAP



ALTERNATES

SHEET INDEX

TITLE SHEETS

T1.1 TITLE SHEET

DEMOLITION DRAWINGS

LOWER LEVEL - DEMOLITION PLAN

FIRST FLOOR - DEMOLITION PLAN

ARCHITECTURAL DRAWINGS

LOWER LEVEL - FINISH PLAN

FIRST FLOOR - FINISH PLAN

ALTERNATE #1:

BASE BID: PROVIDE TARKETT OMNIPORTS ACTIVE (8.1 MM) AT GYM FLOOR
AND TRACK

ALTERNATE: IN LIEU OF BASE BID PROVIDE TARKETT OMNISPORTS MULTI-USE
(6.2 MM) FLOORING AT GYM FLOOR AND TRACK.

ALTERNATE #2:
BASE BID: NO PAINTING REQUIRED

ALTERNATE: IN LIEU OF BASE BID PROVIDE NEW PAINT BEHIND ALL BLEACHER LOCATIONS - COLOR AND PATTERN SHALL MATCH EXISTING.

1 Addendum #2

REVISION DESCRIPTION

BASE BID: KEEP EXISTING WHEELS
ALTERNATE: PROVIDE NEW WHEELS AT ALL BLEACHERS.

ABVD Fortw Fortw Rents

W JEFFERSON BLVD th Bend, IN 46601 4.232.8700 4.251.4440

OOR REPLACEMENT
PROJECT FOR:
MHS WEST GYM
2 LINCOLNWAY EAST

TITLE SHEET

MODELED BY:

JP

DESIGNED BY:

JP

PM REVIEW:

MDN

QA/QC REVIEW:

MDN

DATE:

3/8/2023

3/8/2023

SIGNATURE:

HARD COPY IS INTENDED TO BE 24" x 36" WHEN PLOTTED SCALE(S) INDICATED AND GRAPHIC QUALITY MAY NOT BE ACCURATE FOR ANY OTHER

CALE:

UNLESS NOTED OTHERWISE
CI JOB #

22-1724

SHEET NO.

T1.1

ARCHE

8

4

FOR

SCH 1202 LIN MISHA

C. EXISTING SPORTS VINYL ON GYM FLOOR IS 3/8" WITH SHOCK ABSORBING BACKING

D. EXISTING SPORTS VINYL FLOORING IS WELDED AT SEAMS

E. EXISTING RECESSED LONG JUMP PIT IS RECESSED IN CONCRETE SLAB & FILLED WITH SAND

F. EXISTING TRACK FLOORING IS 3/8" RUBBER SPORTS FOOR WITH SHOCK ABSORBING BACK AND IS PIE SEAMED AT TRACK CORNERS

G. EXISTING RECESSED CONCRETE SPORTS PITS ARE FILLED WITH SAND

H. NEW FLOOR STRIPING SHALL BE CENTERED WITH EXISTING BASKETBALL BACKSTOPS AND VOLLEYBALL NET SLEEVE LOCATIONS. GENERAL CONTRACTOR SHALL FIELD VERIFY.

I. NEW PAINT STRIPES TO BE SHERWIN WILLIAMS COLORS. CONTACT ARCHITECT FOR CUSTOM COLOR SHERWIN WILLIAMS CONTROL NUMBERS.

J. PAINT FOR CONC. WALLS BEHIND BLEACHERS TO BE PROMAR 200 ACRYLIC LATEX FOR ALTERNATE #2 COLOR SHALL MATCH EXISTING

K. PROVIDE COMPATIBLE PRIMER PER PAINT MFR. WRITTEN REQUIREMENTS.

L. AFTER INSTALLATION OF NEW FLOORING IS COMPLETE, G.C. SHALL VERIFY HEIGHT OF BASKETBALL GOALS AND ADJUST HEIGHT OF BACKSTOP AS REQUIRED BY OWNER.

M. NEW FLOOR STRIPING AND GRPHICS SHALL BE VERIFIED WITH OWNER PRIOR TO INSTALLATION.

N. ALL COURT STRIPING SHALL MEET THE OWNERS CURRENT LEAGUE/CONFERENCE REQUIREMENTS.

O. PAINT FOR ALTHETIC COURT STRIPES SHALL BE SHERWIN WILLIAMS - ARMORSEAL 1K WATER BASED URETHANE FLOOR ENAMEL

Keynote Short

OUTSIDE OF SCOPE

KEYNOTES - LOWER LEVEL FINISH PLAN A9.0

EXISTING BASKETBALL HOOPS SHALL REMAIN - F.V. AND MODIFY HEIGHT AS REQUIRED BY OWNER PROVIDE NEW PIT COVER FRAMING AND SHEATHING. G.C. SHALL FIELD VERIFY ALL DIMENSIONS. PROVIDE NEW FLOORING TO MATCH NEW

FLOOR PATTERN AND MATERIAL.

Keynote Long

ALTERNATES:


JOHNSONITE WHEELED TRAFFIC TRANSITION STRIP COLOR - 20 CHARCOAL PROFILE - 1/4" MATERIAL TO SUBFLOOR

PART #: CTA 20 JL JOHNSONITE STAIR NOSING COLOR - 20 CHARCOAL Profile - 1/4" material on step PART#: RCN 20 A

ALT #1 TARKETT OMNISPORT MULTIUSE (6.2 MM) - LIGHT MAPLE TARKETT OMNISPORT MULTIUSE (6.2 MM) - GREY MAPLE

TARKETT OMNISPORT MULTIUSE (6.2 MM) - GREY ALT #1

FINISHES LEGEND



MODELED BY: **DESIGNED BY:** PM REVIEW: QA/QC REVIEW: DATE: 3/8/2023

SIGNATURE:

HARD COPY IS INTENDED TO BE 24" x 36" WHEN PLOTTED SCALE(S) INDICATED AND

GRAPHIC QUALITY MAY NOT BE ACCURATE FOR ANY OTHER SIZES


SCALE:

UNLESS NOTED OTHERWISE ACI JOB #

22-1724 SHEET NO.

JCH 3/3/2023 BY DATE Addendum #2 REVISION DESCRIPTION





1 FINISH PLAN - LOWER LEVEL A9.0 1/8" = 1'-0"

ARCHE

PM REVIEW: QA/QC REVIEW: 3/8/2023

SIGNATURE:


24" x 36" WHEN PLOTTED SCALE(S) INDICATED AND GRAPHIC QUALITY MAY NOT BE ACCURATE FOR ANY OTHER SIZES

UNLESS NOTED OTHERWISE ACI JOB #

22-1724 SHEET NO.

SCALE:

JCH 3/3/2023 BY DATE



GENERAL NOTES - FLOOR PLAN

- A. DO NOT SCALE DRAWINGS - USE WRITTEN DIMENSIONS ONLY

D. EXISTING SPORTS VINYL FLOORING IS WELDED AT SEAMS

READY TO RECEIVE NEW FINISHES.

B. ITEMS BEING DEMOLISHED SHALL BE REMOVED IN THEIR ENTIRETY INCLUDING ALL RELATED/ACCESSORY ITEMS, ADHESIVE, ETC. LEAVE SURFACE CLEAN, SMOOTH, AND

C. EXISTING SPORTS VINYL ON GYM FLOOR IS 3/8" WITH SHOCK ABSORBING BACKING

E. EXISTING RECESSED LONG JUMP PIT IS RECESSED IN CONCRETE SLAB & FILLED WITH SANDA

F. EXISTING TRACK FLOORING IS 3/8" RUBBER SPORTS FOOR WITH SHOCK ABSORBING BACK

REVISION DESCRIPTION

TARKETT OMNISPORT ACTIVE

(8.1MM) - GREY

Addendum #2

G. EXISTING RECESSED CONCRETE SPORTS PITS ARE FILLED WITH SAND

AND IS PIE SEAMED AT TRACK CORNERS

H. NEW FLOOR STRIPING SHALL BE CENTERED WITH EXISTING BASKETBALL BACKSTOPS AND VOLLEYBALL NET SLEEVE LOCATIONS. GENERAL CONTRACTOR SHALL FIELD VERIFY. I. NEW PAINT STRIPES TO BE SHERWIN WILLIAMS COLORS. CONTACT ARCHITECT FOR CUSTOM COLOR SHERWIN WILLIAMS CONTROL NUMBERS.

J. PAINT FOR CONC. WALLS BEHIND BLEACHERS TO BE PROMAR 200 ACRYLIC LATEX FOR ALTERNATE #2 COLOR SHALL MATCH EXISTING

K. PROVIDE COMPATIBLE PRIMER PER PAINT MFR. WRITTEN REQUIREMENTS.

L. AFTER INSTALLATION OF NEW FLOORING IS COMPLETE, G.C. SHALL VERIFY HEIGHT OF BASKETBALL GOALS AND ADJUST HEIGHT OF BACKSTOP AS REQUIRED BY OWNER.

M. NEW FLOOR STRIPING AND GRPHICS SHALL BE VERIFIED WITH OWNER PRIOR TO

N. ALL COURT STRIPING SHALL MEET THE OWNERS CURRENT LEAGUE/CONFERENCE REQUIREMENTS.

O. PAINT FOR ALTHETIC COURT STRIPES SHALL BE SHERWIN WILLIAMS - ARMORSEAL 1K WATER BASED URETHANE FLOOR ENAMEL

SCOPE OF WORK

OUTSIDE OF SCOPE



| KEYNOTES - FINISH PLAN A9.1 | | | |
|-----------------------------|------------------------------------------------------------|--|--|
| Keynote # | Keynote Long | | |
| 2.0 | RE-INSTAL EXISTING RAILING AFTER NEW FLOORING INSTALLATION | | |

ALTERNATES:

| T#1 | TS-1 | JOHNSONITE WHEELED TRAFFIC TRANSITION STRIP COLOR - 20 CHARCOAL PROFILE - 1/4" MATERIAL TO SUBFLOOR PART #: CTA 20 JL |
|-------|------|--------------------------------------------------------------------------------------------------------------------------------|
| .T #1 | TS-2 | JOHNSONITE STAIR NOSING COLOR - 20 CHARCOAL |

COLOR - 20 CHARCOAL PROFILE - 1/4" MATERIAL ON STEP PART#: RCN 20 A

TARKETT OMNISPORT MULTIUSE (6.2 MM) - LIGHT MAPLE TARKETT OMNISPORT MULTIUSE (6.2 MM) - GREY MAPLE TARKETT OMNISPORT MULTIUSE (6.2 MM) - GREY

FINISHES LEGEND

